



Website: www.cat-world.com.au

Brand name/active ingredient	Type	Parasites treated	Age/pregnant etc
Advocate/Advantage Multi (Imidacloprid and Moxidectin)	Spot on (monthly)	Fleas (adult), roundworms, hookworms, heartworm, ear mites. Does not treat tapeworm.	9 weeks old. Safe use on pregnant and lactating females has not been established.
Aristopet (Praziquantel and Pyrantel emboate)	Paste and tablets	Roundworm, hookworm and tapeworm.	8 weeks old. Can be used on pregnant and lactating females.
Drontal (Praziquantel and Pyrantel Pamoate)	Tablets	Roundworm, hookworm and tapeworm.	6 weeks old. Can be used on pregnant and lactating females.
Excelpet (Praziquantel and Pyrantel Emboate)	Tablets	Roundworm, hookworm and tapeworm.	6 weeks old. Can be used on pregnant and lactating females.
Milbemax (Milbemycin Oxime and Praziquantel)	Tablets	Roundworm, hookworm, tapeworm. Heartworm preventative.*	6 weeks and over 500g. Can be used on pregnant and lactating females.
Panacur (Fenbendazole)	Tablets and paste	Tapeworm (<i>Taenia taeniaeformis</i> species), roundworm, hookworm, whipworm, lungworm and giardia. Does not treat Dipylidium caninum tapeworm.	Can be used on pregnant and lactating cats and kittens over 2 weeks.
Popantel (Praziquantel)	Tablets	Roundworm, hookworm and tapeworm.	Can be used on pregnant and lactating cats and kittens over 6 weeks.
Profender (Praziquantel and Emodepside)	Spot on (monthly)	Roundworm, hookworm, tapeworm and lungworm.	8 weeks and over 500g. Can be used on pregnant and lactating cats.
Purina Total Care (Pyrantel emboate and Niclosamide)	Paste and tablets	Roundworm, hookworm and tapeworm.	6 weeks old. Can be used on pregnant and lactating cats.
Revolution (Selamectin)	Spot on (monthly)	Fleas (adult, larvae and eggs), intestinal worms (except tapeworm), heartworm, ear mites. Does not treat tapeworm.	6 weeks old. Can be used on pregnant and lactating females.

Please speak to your veterinarian about when to de-worm young kittens and which product is best.

All medications have the potential to cause side effects. Most are mild and self limiting such as nausea and loss of appetite. If you notice your cat is unwell after being de-wormed, please seek the advice of your veterinarian.

Not all anti-parasitic medications treat all parasites (the most common being fleas and worms), so it is important to make sure all common parasites are covered which usually means the use of two products. Speak to your veterinarian to make sure the products you are using are safe to use in conjunction.

Never use anti-parasitic products for dogs on your cat. Most contain active ingredients which are toxic.

* When using any products to prevent heartworm, it is essential you have your cat tested for heartworm prior to commencing heartworm preventative medications.